






TF1200 with options



fibo intercon





Picture	Description	order
	<p>TF1200 Basic. 1200/800 liter mixer. 10-16m³ concrete pr. Hour. Hopper 4,8m³ Ready to ad cement internal or external. 2000liter water tank On Container frame with locks. Ready to ad on trailer. Forklift tubes. Ready to ad options on.</p>	<p>Order no. 48034011</p>
	<p>Internal Cement box. 800 liter With preweight. Ø219x3300 Cement screw. On loadcells to faster and more precisely mixertime.</p>	<p>Order no. 48224001</p>
	<p>Internal Cement box. 2500 liter Ø219x3300 Cement screw. And a cross screw</p>	<p>Order no. 4822xxxx</p>



TF1200 with options



fibo intercon

	<p>Internal Cement box. 2500 liter with Preweight</p> <p>Ø219x3300 Cement screw. And across screw On loadcells to faster and more precisely mixertime.</p>	<p>Order no. 4822xxxx</p>
	<p>Enlarge hopper sides. 3 m³ more in the silo hopper. With this the total volume in the hopper in 7,8m³ With this enlarge shopper sides there are enough sand/stone for ca. ¼ hour production.</p>	<p>Order no. 48184105</p>
	<p>3,5m foldable conveyor belt on a turnable. And with chutes. Attached to the mixer outlet.</p>	<p>Order no. 45104900</p>
	<p>1,5 meter chute turnable and attached to the outlet mixer.</p>	<p>Order no.</p>



TF1200 with options



fibo intercon

	Concrete pump	Order no.
 A photograph showing an additive pump installed on a yellow TF1200 machine. The pump is connected to a silver braided hose. A black control box with a label 'M2.5 KEMI 1' is visible.	Additive pump. possibility for installation of 1, 2 or 3 pumps. High quality pump 0,25kW for additive liquid. Installed on TF1200 with cabling and piping and drivers to the program.	Order no. 48325009
 A photograph showing an additive pump installation on a yellow TF1200 machine, similar to the previous image. An inset image in the bottom left corner shows a close-up of a flowmeter device.	Additive pump. possibility for installation of 1, 2 or 3 pumps. High quality pump 0,25kW for additive liquid. Installed on TF1200 with cabling and piping and drivers to the program. And with Flowmeter	Order no. 4832xxxx
 A photograph of a bright orange vibrator set, consisting of two cylindrical motor units mounted on a common base.	Vibrator set. Of MVE 100/3 for vibrating sand and stone out of hopper. 2 pcs. motors Installed on TF1200with cabling and switch.	Order no. xxxxxxx



TF1200 with options



fibo intercon




	<p>Router with wifi. Possibility to get online support with Fibo-intercon. Team-view support. Possible to control the mixer from your office. Possible to add Ipad or remote control on. The new option prepared for the future.</p>	<p>Order no.</p>
	<p>Winter package Isolated hose with el-tracing and heating of chemical and high-pressure pumps</p>	<p>Order no.</p>
	<p>Water Heater 7,5kW</p>	<p>Order no.</p>



TF1200 with options



fibo intercon

		Generator 60KVA	Order no.
		Generator 80KVA	Order no.
		Trailer. To load 24tons. 3 axle. With container keys. Designed special to load TF1200	

Other options: remote control, Ipad control solution, water heater 7,5kW, external electrical control box, Frequency control on mixer, Frequency control on screw, Soft starter,

Spare parts: se separate brochure.

Service Package: Se separate Brochure